

EAST Search History

0/062,992

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	((("data storage structure" with sub\$net\$5) same (output adj function)) and parameter and stor\$3	USPAT	OR	OFF	2007/01/19 11:54
L2	9	((("data storage structure" same sub\$net\$5) and (output adj function)) and parameter and stor\$3	USPAT	OR	OFF	2007/01/19 11:54
L3	9	((data same storage same structure same sub\$net\$5) and (output adj function)) and parameter and stor\$3	USPAT	OR	OFF	2007/01/19 11:54
L4	19	((data same (storage or structure) same sub\$net\$5) and (output adj function)) and parameter and stor\$3	USPAT	OR	OFF	2007/01/19 11:54
L5	10	((generat\$5 same sub\$net\$5) and (output adj function)) and parameter and stor\$3 and (IC or (integrated adj circuit))	USPAT	OR	OFF	2007/01/19 11:54
L6	3	("6115713" or "5687286" or "5453339").pn.	USPAT	OR	OFF	2007/01/19 11:54
L7	3	("6115713" or "5687286" or "5452239").pn.	USPAT	OR	OFF	2007/01/19 11:54
L8	0	stor\$4 same based same paramter same (output\$1function)	USPAT	OR	OFF	2007/01/19 11:54
L9	0	(stor\$4 same based) and (paramter same (output\$1function))	USPAT	OR	OFF	2007/01/19 11:54
L10	0	(stor\$4 same based) and (paramter same (output\$1function))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/01/19 11:54
L11	0	(stor\$4) and (paramter same (output\$1function))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/01/19 11:54
L12	52732	(stor\$4) and (parameter same (output adjfunction))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/01/19 11:54
L13	0	stor\$4 same based same parameter same (output\$1function)	USPAT	OR	OFF	2007/01/19 11:54
L14	0	(stor\$4 same based) and (parameter same (output\$1function))	USPAT	OR	OFF	2007/01/19 11:54
L15	0	(stor\$4 same based) and (parameter same (output\$1function))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/01/19 11:54
L16	284	(stor\$4 same based) and (parameter same (output adj function))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/01/19 11:54

EAST Search History

L17	0	L16 and (IC or (integrated adj circuit)) and "is stored based on"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/01/19 11:54
L18	0	L16 and (IC or (integrated adj circuit)) and "stored based on"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/01/19 11:54
L19	83	L16 and (IC or (integrated adj circuit))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/01/19 11:54
L20	27	(stor\$4 same based) and (parameter same derived same (output adj function))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/01/19 11:54
L21	0	"20030217026"	USPAT	OR	OFF	2007/01/19 11:54
L22	1	"20030217026"	US-PGPUB; USPAT	OR	OFF	2007/01/19 11:54
L23	5	("6140839" or "6587990" or "6594808" or "5493504" or "6687883").pn.	US-PGPUB; USPAT	OR	OFF	2007/01/19 11:54
L24	0	"20020079921"	USPAT	OR	OFF	2007/01/19 11:54
L25	1	"20020079921"	US-PGPUB; USPAT	OR	OFF	2007/01/19 11:54
L26	0	B42F and "13/00"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/01/19 11:54
L27	97	"13/00"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/01/19 11:54
L28	140	B42F	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/01/19 11:54
L29	545	sub\$network with function\$1	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/01/19 11:54
L30	339	sub\$network with function\$1 and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/01/19 11:54
L31	3044354	sub\$network with function\$1with (perform\$5 or execut\$5) and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/01/19 11:54
L32	88	(sub\$network with function\$1 with (perform\$5 or execut\$5)) and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/01/19 11:54
L33	66	(sub\$network with function\$1 with (perform\$2 or execut\$5)) and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/01/19 11:54

EAST Search History

L34	2	(sub\$network with output with function\$1 with (perform\$2 or execut\$5)) and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/01/19 11:54
L35	24	(sub\$network with function\$1 with (perform\$2 or execut\$5)) and (stor\$4 with sub\$1network) and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/01/19 11:54
L36	0	(sub\$network with function\$1 with (perform\$2 or execut\$5)) and (structure\$2 with stor\$4 with sub\$1network) and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/01/19 11:54
L37	7	(sub\$network with function\$1 with (perform\$2 or execut\$5)) and (data with stor\$4 with sub\$1network) and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/01/19 11:54
L38	1	"5933428".pn.	USPAT	OR	OFF	2007/01/19 11:54
L39	10	((data same (storage or structure) same sub\$net\$5) and (output adj function)) and parameter and stor\$3 and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L40	1	(sub\$net\$5 same (output adj functions)) and stor\$3 and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L41	1118	(sub\$net\$5 same (output nearw2 functions)) and stor\$3 and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L42	38	((data same (storage or structure) same sub\$net\$5) same (output nearw2 functions)) and parameter and stor\$3 and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L43	4	((data same graphical same sub\$net\$5) same (output nearw2 functions)) and parameter and stor\$3 and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L44	1	"6134705".pn.	USPAT	OR	OFF	2007/01/19 11:54
L45	21	network with graph\$ with representation with storage	USPAT	OR	OFF	2007/01/19 11:54
L46	19	network with graph\$ with representation with storage and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L47	163663	((network nearw3 graph\$ nearw3 representation) with data) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L48	155558	((network nearw3 graph\$3 nearw3 representation) with data) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54

EAST Search History

L49	838477	(network nearw3 graph\$3 nearw3 representation) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L50	12	((network near3 graph\$3 near3 representation) with data) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L51	1	((network near3 graph\$3 near3 representation) with local) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L52	10	((network near3 graph\$3 near3 representation) with topology) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L53	0	((data same (storage or structure) same sub\$net\$5) same (output nearw2 functions)) and parameter and stor\$3 and @ad < "20020131" and "716".cls.	USPAT	OR	OFF	2007/01/19 11:54
L54	3402317	(sub\$1net\$5 with output with functions) @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L55	5	(sub\$1net\$5 with output with functions) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L56	1911	(net\$5 with output with functions) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L57	2	(net\$5 near2 perform\$4 near2 output with functions) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L58	1	(data adj structure) and (sub\$network) and (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L59	1	(data adj structure) and (sub\$network) and (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L60	147	(data adj structure) and (sub\$network or hierarch\$6) and (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L61	37	(data adj structure) same (sub\$network or hierarch\$6) and (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L62	0	(data adj structure) same (sub\$network or hierarch\$6) same (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L63	82	(data adj structure) same (sub\$network or hierarch\$6 or network) and (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54

EAST Search History

L64	0	(data adj structure) same (sub\$network or hierarch\$6 or network) same (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L65	82	(data adj structure) same (sub\$network or hierarch\$6 or network) and (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L66	82	(data adj structure) same (sub\$network or hierarch\$6 or network) and (output adj function) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L67	52	(data adj structure) same (sub\$network or network) and (output adj function) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L68	0	(data adj structure) with (sub\$network or network) same (output adj function) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L69	37	(data adj structure) with (sub\$network or network) and (output adj function) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L70	2	("6009251" or "5956257").pn.	USPAT	OR	OFF	2007/01/19 11:54
L71	4	("6009251" or "5956257" or "6134705" or "6272529").pn.	USPAT	OR	OFF	2007/01/19 11:54
L72	4	("6009251" or "5956257" or "6134705" or "6272529").pn.	USPAT	OR	OFF	2007/01/19 11:54
L73	1	L72 and (output with function)	USPAT	OR	OFF	2007/01/19 11:54
L74	2	L72 and (output same function)	USPAT	OR	OFF	2007/01/19 11:54
L75	2	("6009251" or "6134705").pn.	USPAT	OR	OFF	2007/01/19 11:54
L76	37	(data adj structure) same (sub\$network or hierarch\$6) and (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L77	1	707/104.1 and L76	USPAT	OR	OFF	2007/01/19 11:54
L78	284	(stor\$4 same based) and (parameter same (output adj function))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/01/19 11:54
L79	1	707/104.1 and L78	USPAT	OR	OFF	2007/01/19 11:54
L80	0	707/104.1.ccls. and L78	USPAT	OR	OFF	2007/01/19 11:54
L81	0	707/104.1.ccls. and L78	US-PGPUB; USPAT	OR	OFF	2007/01/19 11:54
L82	2	707/104.1.ccls. and L76	US-PGPUB; USPAT	OR	OFF	2007/01/19 11:54

EAST Search History

L83	0	"20030217026"	USPAT	OR	OFF	2007/01/19 11:54
L84	1	"20030217026"	US-PGPUB; USPAT	OR	OFF	2007/01/19 11:54
L85	1	("5956257").pn.	USPAT	OR	OFF	2007/01/19 11:54
L86	1	"6665678".pn.	USPAT	OR	OFF	2007/01/19 11:54
L87	1	"6954910".pn.	USPAT	OR	OFF	2007/01/19 11:54
L88	1	"6574779".pn.	USPAT	OR	OFF	2007/01/19 11:54
L89	414	sub\$1net\$5 and (output with functions) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L90	19	sub\$1net\$5 and (database with index) and (output with functions) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L91	104	sub\$1net\$5 and (database with index) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L92	2	sub\$1net\$5 same (database with index) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L93	81	sub\$1net\$5 and (database with index) and output and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L94	74	sub\$1net\$5 and (database with index) and output and functions and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L95	40	sub\$1net\$5 and (database with index) and (output same functions) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L96	48	((ic near2 design) with database) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L97	0	((ic near2 design) with database with index) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L98	1	((ic near2 design) with database same index) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L99	1	((ic near2 design) with database same index) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L100	0	((IC adj design) with (database same index)) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L101	0	((IC adj design) same (database same index)) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L102	62	((IC adj design) same database) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L103	0	((IC adj design) with index same database) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54

EAST Search History

L104	0	((IC adj design) with relational with database) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L105	1	"6931572".pn.	USPAT	OR	OFF	2007/01/19 11:54
L106	8	((standard adj cell) or macro or primitive or sub\$1circuit) same (database library or files or stor\$4) same (look\$1up\$1table) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L107	3	((standard adj cell) or macro or primitive or sub\$1circuit) and (database library or files or stor\$4) same (look\$1up\$1table) and (circuit with design) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L108	1	"5987086".pn.	USPAT	OR	OFF	2007/01/19 11:54
L109	1	"5610829".pn.	USPAT	OR	OFF	2007/01/19 11:54
L110	1	"5,610,829".pn.	USPAT	OR	OFF	2007/01/19 11:54
L111	1	"6134705".pn.	USPAT	OR	OFF	2007/01/19 11:54
L112	1	"6925088".pn.	USPAT	OR	OFF	2007/01/19 11:54
L113	2793	sub\$1network and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L114	3	(sub\$1network with (data adj structure) with stor\$4) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L115	0	(sub\$1network with (data adj structure)) same database and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L116	10	(sub\$1network with (data adj structure)) and database and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L117	0	(sub\$1network with (data adj structure) with circuit with design) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L118	0	(sub\$1network with (data with structure) with circuit with design) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L119	0	(sub\$1network with (data with structure) and (circuit with design)) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L120	53	(sub\$1network and (data with structure) and (circuit with design)) and database and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L121	47	(sub\$1network and (data adj structure) and (circuit with design)) and database and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54

EAST Search History

L122	0	(sub\$1network and (data adj structure) and (circuit with design)) same database and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L123	47	(sub\$1network and (data adj structure) and (circuit with design)) and stor\$4 and database and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L124	0	(sub\$1network with (data adj structure)) and (circuit with design) and stor\$4 and database and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L125	0	(sub\$1net\$4 with (data adj structure)) and (circuit with design) and stor\$4 and database and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L126	1	(sub\$1net\$4 same (data adj structure)) and (circuit with design) and stor\$4 and database and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L127	76	(sub\$1network and (data with structure) and (circuit with design)) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L128	1	"5987086".pn.	USPAT	OR	OFF	2007/01/19 11:54
L129	1	"5526278".pn.	USPAT	OR	OFF	2007/01/19 11:54
L130	0	"20030217026"	USPAT	OR	OFF	2007/01/19 11:54
L131	1	"20030217026"	US-PGPUB; USPAT	OR	OFF	2007/01/19 11:54
L132	70	(sub\$1net\$4 and (data adj structure)) and (circuit with design) and stor\$4 and database and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L133	91	(sub\$1net\$4 and (data adj structure)) and (circuit with design) and stor\$4 and database and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 11:54
L134	0	(sub\$1net\$4 with (data adj structure)) and (circuit with design) and stor\$4 and database and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 11:54
L135	1	(sub\$1net\$4 same (data adj structure)) and (circuit with design) and stor\$4 and database and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 11:54

EAST Search History

L136	3	(sub\$1net\$4 with (database)) and (circuit with design) and stor\$4 and database and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 11:54
L137	712	sub\$1network and (data with structure) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L138	71	sub\$1network and (data with structure) and (circuit with logic) and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L139	68	sub\$1network and (data with structure) and (circuit with logic) and stor\$4 and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L140	24	sub\$1network and (data with structure) and (circuit with logic) and stor\$4 and retriev\$4 and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L141	3	sub\$1network and (data with structure) and (circuit with logic with design) and stor\$4 and retriev\$4 and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L142	111	database and (data with structure) and (circuit with logic with design) and stor\$4 and retriev\$4 and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L143	41	database and (data with structure) and (circuit with logic with design) and index\$4 and stor\$4 and retriev\$4 and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L144	1	"6993730".pn.	USPAT	OR	OFF	2007/01/19 11:54
L145	1	database and (data with structure) and (circuit with logic with design) and index\$4 and stor\$4 and retriev\$4 and @ad < "20020131" and "6993730".pn.	USPAT	OR	OFF	2007/01/19 11:54
L146	0	database and (data with structure) and (circuit with logic with design) and index\$4 and stor\$4 and retriev\$4 and @ad < "20020131" and "6993730".pn. and index	USPAT	OR	OFF	2007/01/19 11:54
L147	0	database and sub\$network and (circuit with design) and index\$4 and stor\$4 and retriev\$4 and @ad < "20020131" and "6993730".pn.	USPAT	OR	OFF	2007/01/19 11:54
L148	48	database and sub\$network and (circuit with design) and index\$4 and stor\$4 and retriev\$4 and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54

EAST Search History

L149	0	(database with sub\$network) and (circuit with design) and index\$4 and stor\$4 and retriev\$4 and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L150	0	(database same sub\$network) and (circuit with design) and index\$4 and stor\$4 and retriev\$4 and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L151	48	(database and sub\$network) and (circuit with design) and index\$4 and stor\$4 and retriev\$4 and @ad < "20020131"	USPAT	OR	OFF	2007/01/19 11:54
L152	1	"5959881".pn.	USPAT	OR	OFF	2007/01/19 11:54
L153	2	("5959881" or "6134705").pn.	USPAT	OR	OFF	2007/01/19 11:54
S1	0	((("data storage structure" with sub\$net\$5) same (output adj function)) and parameter and stor\$3	USPAT	OR	OFF	2005/08/07 12:10
S2	0	((("data storage structure" same sub\$net\$5) and (output adj function)) and parameter and stor\$3	USPAT	OR	OFF	2005/01/17 11:49
S3	0	((data same storage same structure same sub\$net\$5) and (output adj function)) and parameter and stor\$3	USPAT	OR	OFF	2005/01/17 11:50
S4	10	((data same (storage or structure) same sub\$net\$5) and (output adj function)) and parameter and stor\$3	USPAT	OR	OFF	2005/08/08 10:17
S5	1	((generat\$5 same sub\$net\$5) and (output adj function)) and parameter and stor\$3 and (IC or (integrated adj circuit))	USPAT	OR	OFF	2005/01/17 12:48
S6	3	("6115713" or "5687286" or "5453339").pn.	USPAT	OR	OFF	2005/01/17 12:49
S7	3	("6115713" or "5687286" or "5452239").pn.	USPAT	OR	OFF	2005/01/17 13:11
S8	0	stor\$4 same based same paramter same (output\$1function)	USPAT	OR	OFF	2005/01/17 13:14
S9	0	(stor\$4 same based) and (paramter same (output\$1function))	USPAT	OR	OFF	2005/01/17 13:14
S10	0	(stor\$4 same based) and (paramter same (output\$1function))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/17 13:15
S11	0	(stor\$4) and (paramter same (output\$1function))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/17 13:14
S12	38520	(stor\$4) and (parameter same (output adjfunction))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/17 13:14

EAST Search History

S13	0	stor\$4 same based same parameter same (output\$1function)	USPAT	OR	OFF	2005/01/17 13:14
S14	0	(stor\$4 same based) and (parameter same (output\$1function))	USPAT	OR	OFF	2005/01/17 13:14
S15	0	(stor\$4 same based) and (parameter same (output\$1function))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/17 13:15
S16	189	(stor\$4 same based) and (parameter same (output adj function))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/17 13:18
S17	56	S16 and (IC or (integrated adj circuit))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/17 13:17
S18	0	S16 and (IC or (integrated adj circuit)) and "is stored based on"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/17 13:16
S19	0	S16 and (IC or (integrated adj circuit)) and "stored based on"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/17 13:16
S20	17	(stor\$4 same based) and (parameter same derived same (output adj function))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/17 13:18
S21	0	"20030217026"	USPAT	OR	OFF	2005/08/07 12:19
S22	1	"20030217026"	US-PGPUB; USPAT	OR	OFF	2005/08/07 12:15
S23	5	("6140839" or "6587990" or "6594808" or "5493504" or "6687883").pn.	US-PGPUB; USPAT	OR	OFF	2005/08/07 12:19
S24	0	"20020079921"	USPAT	OR	OFF	2005/08/07 12:19
S25	1	"20020079921"	US-PGPUB; USPAT	OR	OFF	2005/08/07 12:36
S26	0	B42F and "13/00"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/07 21:32
S27	61	"13/00"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/07 21:33
S28	4	B42F	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/07 22:50
S29	434	sub\$network with function\$1	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/07 22:51

EAST Search History

S30	311	sub\$network with function\$1 and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/07 22:51
S31	3002480	sub\$network with function\$1with (perform\$5 or execut\$5) and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/07 22:52
S32	81	(sub\$network with function\$1 with (perform\$5 or execut\$5)) and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/07 22:59
S33	60	(sub\$network with function\$1 with (perform\$2 or execut\$5)) and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/07 23:08
S34	2	(sub\$network with output with function\$1 with (perform\$2 or execut\$5)) and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/07 23:01
S35	22	(sub\$network with function\$1 with (perform\$2 or execut\$5)) and (stor\$4 with sub\$1network) and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/07 23:12
S36	0	(sub\$network with function\$1 with (perform\$2 or execut\$5)) and (structure\$2 with stor\$4 with sub\$1network) and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/07 23:12
S37	6	(sub\$network with function\$1 with (perform\$2 or execut\$5)) and (data with stor\$4 with sub\$1network) and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/07 23:12
S38	1	"5933428".pn.	USPAT	OR	OFF	2005/08/08 10:07
S39	10	((data same (storage or structure) same sub\$net\$5) and (output adj function)) and parameter and stor\$3 and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 10:23
S40	1	(sub\$net\$5 same (output adj functions)) and stor\$3 and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 10:22
S41	919	(sub\$net\$5 same (output nearw2 functions)) and stor\$3 and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 10:22
S42	26	((data same (storage or structure) same sub\$net\$5) same (output nearw2 functions)) and parameter and stor\$3 and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 11:49
S43	2	((data same graphical same sub\$net\$5) same (output nearw2 functions)) and parameter and stor\$3 and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 10:33
S44	1	"6134705".pn.	USPAT	OR	OFF	2005/08/08 10:43

EAST Search History

S45	14	network with graph\$ with representation with storage	USPAT	OR	OFF	2005/08/08 10:44
S46	14	network with graph\$ with representation with storage and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 10:48
S47	148790	((network nearw3 graph\$ nearw3 representation) with data) and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 10:49
S48	141030	((network nearw3 graph\$3 nearw3 representation) with data) and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 10:51
S49	808786	(network nearw3 graph\$3 nearw3 representation) and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 10:50
S50	12	((network near3 graph\$3 near3 representation) with data) and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 11:06
S51	1	((network near3 graph\$3 near3 representation) with local) and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 11:07
S52	10	((network near3 graph\$3 near3 representation) with topology) and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 11:53
S53	0	((data same (storage or structure) same sub\$net\$5) same (output nearw2 functions)) and parameter and stor\$3 and @ad < "20020131" and "716".ccls.	USPAT	OR	OFF	2005/08/08 11:49
S54	3353453	(sub\$1net\$5 with output with functions) @ad < "20020131"	USPAT	OR	OFF	2005/08/08 11:54
S55	5	(sub\$1net\$5 with output with functions) and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 12:03
S57	1809	(net\$5 with output with functions) and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 12:03
S59	2	(net\$5 near2 perform\$4 near2 output with functions) and @ad < "20020131"	USPAT	OR	OFF	2005/08/08 12:05
S60	0	(data adj structure) and (sub\$network) and (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/02 16:48
S61	0	(data adj structure) and (sub\$network) and (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/02 16:48
S62	137	(data adj structure) and (sub\$network or hierarch\$6) and (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/02 16:49

EAST Search History

S63	36	(data adj structure) same (sub\$network or hierarch\$6) and (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/03 16:59
S64	0	(data adj structure) same (sub\$network or hierarch\$6) same (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/02 16:49
S65	78	(data adj structure) same (sub\$network or hierarch\$6 or network) and (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/02 16:50
S66	0	(data adj structure) same (sub\$network or hierarch\$6 or network) same (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/02 16:50
S67	78	(data adj structure) same (sub\$network or hierarch\$6 or network) and (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/02 16:50
S68	78	(data adj structure) same (sub\$network or hierarch\$6 or network) and (output adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/02 16:50
S69	48	(data adj structure) same (sub\$network or network) and (output adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/02 16:51
S70	33	(data adj structure) with (sub\$network or network) and (output adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/02 17:15
S71	0	(data adj structure) with (sub\$network or network) same (output adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/02 16:51
S72	2	("6009251" or "5956257").pn.	USPAT	OR	OFF	2006/02/02 18:43
S73	4	("6009251" or "5956257" or "6134705" or "6272529").pn.	USPAT	OR	OFF	2006/02/03 14:57
S74	4	("6009251" or "5956257" or "6134705" or "6272529").pn.	USPAT	OR	OFF	2006/02/02 19:17
S75	1	S74 and (output with function)	USPAT	OR	OFF	2006/02/02 19:24
S76	2	S74 and (output same function)	USPAT	OR	OFF	2006/02/02 19:24
S77	2	("6009251" or "6134705").pn.	USPAT	OR	OFF	2007/01/18 17:58

EAST Search History

S78	36	(data adj structure) same (sub\$network or hierarch\$6) and (out\$1put adj function) and @ad < "20020131"	USPAT	OR	OFF	2006/02/03 16:59
S79	1	707/104.1 and S78	USPAT	OR	OFF	2006/02/03 16:59
S80	233	(stor\$4 same based) and (parameter same (output adj function))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/02/03 16:59
S81	1	707/104.1 and S80	USPAT	OR	OFF	2006/02/03 17:00
S82	0	707/104.1.ccls. and S80	USPAT	OR	OFF	2006/02/03 17:00
S83	0	707/104.1.ccls. and S80	US-PGPUB; USPAT	OR	OFF	2006/02/03 17:00
S84	1	707/104.1.ccls. and S78	US-PGPUB; USPAT	OR	OFF	2006/02/03 17:00
S85	0	"20030217026"	USPAT	OR	OFF	2006/06/05 08:25
S86	1	"20030217026"	US-PGPUB; USPAT	OR	OFF	2006/06/05 08:25
S87	1	("5956257").pn.	USPAT	OR	OFF	2006/06/06 17:06
S88	1	"6665678".pn.	USPAT	OR	OFF	2006/06/07 13:48
S89	1	"6954910".pn.	USPAT	OR	OFF	2006/07/04 10:03
S90	1	"6574779".pn.	USPAT	OR	OFF	2006/07/04 10:03
S91	388	sub\$1net\$5 and (output with functions) and @ad < "20020131"	USPAT	OR	OFF	2006/07/04 10:29
S92	14	sub\$1net\$5 and (database with index) and (output with functions) and @ad < "20020131"	USPAT	OR	OFF	2006/07/04 10:35
S93	96	sub\$1net\$5 and (database with index) and @ad < "20020131"	USPAT	OR	OFF	2006/07/04 10:45
S94	2	sub\$1net\$5 same (database with index) and @ad < "20020131"	USPAT	OR	OFF	2006/07/04 10:36
S95	73	sub\$1net\$5 and (database with index) and output and @ad < "20020131"	USPAT	OR	OFF	2006/07/04 10:45
S96	66	sub\$1net\$5 and (database with index) and output and functions and @ad < "20020131"	USPAT	OR	OFF	2006/07/04 10:45
S97	33	sub\$1net\$5 and (database with index) and (output same functions) and @ad < "20020131"	USPAT	OR	OFF	2006/07/04 10:46
S98	48	((ic near2 design) with database) and @ad < "20020131"	USPAT	OR	OFF	2006/07/05 16:18
S99	0	((ic near2 design) with database with index) and @ad < "20020131"	USPAT	OR	OFF	2006/07/05 16:07

EAST Search History

S10 0	1	((ic near2 design) with database same index) and @ad < "20020131"	USPAT	OR	OFF	2006/07/05 16:07
S10 1	1	((ic near2 design) with database same index) and @ad < "20020131"	USPAT	OR	OFF	2006/07/05 16:32
S10 2	0	((IC adj design) with (database same index)) and @ad < "20020131"	USPAT	OR	OFF	2006/07/05 16:33
S10 3	0	((IC adj design) same (database same index)) and @ad < "20020131"	USPAT	OR	OFF	2006/07/05 16:33
S10 4	62	((IC adj design) same database) and @ad < "20020131"	USPAT	OR	OFF	2006/07/05 16:33
S10 5	0	((IC adj design) with index same database) and @ad < "20020131"	USPAT	OR	OFF	2006/07/05 16:33
S10 6	0	((IC adj design) with relational with database) and @ad < "20020131"	USPAT	OR	OFF	2006/07/05 16:34
S10 7	1	"6931572".pn.	USPAT	OR	OFF	2006/07/05 16:57
S10 8	8	((standard adj cell) or macro or primitive or sub\$1circuit) same (database library or files or stor\$4) same (look\$1up\$1table) and @ad < "20020131"	USPAT	OR	OFF	2006/07/10 18:30
S10 9	3	((standard adj cell) or macro or primitive or sub\$1circuit) and (database library or files or stor\$4) same (look\$1up\$1table) and (circuit with design) and @ad < "20020131"	USPAT	OR	OFF	2006/07/10 18:34
S11 0	1	"5987086".pn.	USPAT	OR	OFF	2006/07/10 18:55
S11 1	1	"5610829".pn.	USPAT	OR	OFF	2006/07/10 18:55
S11 2	1	"5,610,829".pn.	USPAT	OR	OFF	2006/07/26 10:16
S11 3	1	"6134705".pn.	USPAT	OR	OFF	2006/07/26 12:39
S11 4	1	"6925088".pn.	USPAT	OR	OFF	2006/07/26 13:17
S11 5	2672	sub\$1network and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 14:55
S11 6	3	(sub\$1network with (data adj structure) with stor\$4) and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 13:19
S11 7	0	(sub\$1network with (data adj structure)) same database and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 13:20

EAST Search History

S11 8	9	(sub\$1network with (data adj structure)) and database and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 13:21
S11 9	0	(sub\$1network with (data adj structure) with circuit with design) and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 13:21
S12 0	0	(sub\$1network with (data with structure) with circuit with design) and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 13:22
S12 1	0	(sub\$1network with (data with structure) and (circuit with design)) and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 13:22
S12 2	74	(sub\$1network and (data with structure) and (circuit with design)) and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 14:34
S12 3	51	(sub\$1network and (data with structure) and (circuit with design)) and database and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 13:23
S12 4	45	(sub\$1network and (data adj structure) and (circuit with design)) and database and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 13:23
S12 5	0	(sub\$1network and (data adj structure) and (circuit with design)) same database and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 13:23
S12 6	45	(sub\$1network and (data adj structure) and (circuit with design)) and stor\$4 and database and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 14:26
S12 7	0	(sub\$1network with (data adj structure)) and (circuit with design) and stor\$4 and database and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 14:26
S12 8	0	(sub\$1net\$4 with (data adj structure)) and (circuit with design) and stor\$4 and database and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 14:27
S12 9	1	(sub\$1net\$4 same (data adj structure)) and (circuit with design) and stor\$4 and database and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 14:46
S13 0	1	"5987086".pn.	USPAT	OR	OFF	2006/07/26 14:36
S13 1	1	"5526278".pn.	USPAT	OR	OFF	2006/07/26 14:44

EAST Search History

S13 2	0	"20030217026"	USPAT	OR	OFF	2006/07/26 14:45
S13 3	1	"20030217026"	US-PGPUB; USPAT	OR	OFF	2006/07/26 14:45
S13 4	67	(sub\$1net\$4 and (data adj structure)) and (circuit with design) and stor\$4 and database and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 14:46
S13 5	88	(sub\$1net\$4 and (data adj structure)) and (circuit with design) and stor\$4 and database and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 14:47
S13 6	0	(sub\$1net\$4 with (data adj structure)) and (circuit with design) and stor\$4 and database and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 14:47
S13 7	1	(sub\$1net\$4 same (data adj structure)) and (circuit with design) and stor\$4 and database and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 14:53
S13 8	3	(sub\$1net\$4 with (database)) and (circuit with design) and stor\$4 and database and @ad < "20020131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 14:53
S13 9	678	sub\$1network and (data with structure) and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 14:55
S14 0	69	sub\$1network and (data with structure) and (circuit with logic) and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 14:56
S14 1	66	sub\$1network and (data with structure) and (circuit with logic) and stor\$4 and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 14:56
S14 2	23	sub\$1network and (data with structure) and (circuit with logic) and stor\$4 and retriev\$4 and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 14:57
S14 3	3	sub\$1network and (data with structure) and (circuit with logic with design) and stor\$4 and retriev\$4 and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 15:10
S14 4	110	database and (data with structure) and (circuit with logic with design) and stor\$4 and retriev\$4 and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 15:11

EAST Search History

S14 5	41	database and (data with structure) and (circuit with logic with design) and index\$4 and stor\$4 and retriev\$4 and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 15:31
S14 6	1	"6993730".pn.	USPAT	OR	OFF	2006/07/26 15:31
S14 7	1	database and (data with structure) and (circuit with logic with design) and index\$4 and stor\$4 and retriev\$4 and @ad < "20020131" and "6993730".pn.	USPAT	OR	OFF	2006/07/26 15:39
S14 8	0	database and (data with structure) and (circuit with logic with design) and index\$4 and stor\$4 and retriev\$4 and @ad < "20020131" and "6993730".pn. and index	USPAT	OR	OFF	2006/07/26 15:33
S14 9	0	database and sub\$network and (circuit with design) and index\$4 and stor\$4 and retriev\$4 and @ad < "20020131" and "6993730".pn.	USPAT	OR	OFF	2006/07/26 15:39
S15 0	46	database and sub\$network and (circuit with design) and index\$4 and stor\$4 and retriev\$4 and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 15:39
S15 1	0	(database with sub\$network) and (circuit with design) and index\$4 and stor\$4 and retriev\$4 and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 15:40
S15 2	0	(database same sub\$network) and (circuit with design) and index\$4 and stor\$4 and retriev\$4 and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 15:40
S15 3	46	(database and sub\$network) and (circuit with design) and index\$4 and stor\$4 and retriev\$4 and @ad < "20020131"	USPAT	OR	OFF	2006/07/26 15:48
S15 4	1	"5959881".pn.	USPAT	OR	OFF	2006/07/26 17:05
S15 5	2	("5959881" or "6134705").pn.	USPAT	OR	OFF	2007/01/18 17:58